

Revbag™

Can Liners Made With
Certified Post Consumer
Recycled Resin

Revolution[®]
redefine possible.



Going green is in the bag!

RevBag™ certified PCR resin can liners for every type of commercial or industrial need

Sustainability Without Sacrifice

Strong, durable and made with up to 100% certified post-consumer recycled (PCR) material

ECOLOGO® Certified

Meets UL126 Standard for Sustainability in Plastic Film Products and exceeds USGBC and LEED requirements

Better Budget Control

Vertical intergration allows for better cost management.

FREE Audit and Report

Free audit and customized Environmental Impact Report provides tangible impact on your business



A Revolutionary, Circular Approach

Revolution creates liners using our unique, circular approach to recycling and manufacturing. This sustainable loop, vertically integrated system ensures the highest-quality post-consumer recycled (PCR) resin and film products.



We manufacture a variety of film products



We collect used film and divert it from the waste stream



We recycle the film into certified 100% PCR resin

We make RevBag can liners for you!

Easy switch, enormous impact!



SCS Life Cycle Assessment

SCS Global Services conducted an assessment to determine the positive impact our product has on the environment. The LCA shows that production and use of Revolution Bag liners result in lower environmental impact across the board when compared to liners made without recycled content.



37% Lower Global Climate Change Emissions

Global Climate Change: Tracks man-made greenhouse gases that are changing the planet's climate.

50% Decrease in Human Exposure to Fine Particulate Matter

Fine Particulate Matter (Soot): Exposure linked to pulmonary illness, cardiac disease, and cancer in the population.



31% Decrease in Human Exposure to Ground Level Ozone

Ground Level Ozone (Smog): Exposure linked to asthma, bronchitis, and emphysema in the population.

53%

FEWER RESOURCES

53% Less Depletion of Energy Resources

Energy Resource Depletion: Accounts for the depletion of non-renewable energy resources, such as crude oil, natural gas, and uranium.



12% Less Impact on Ocean Acidification

Ocean Acidification: Addresses the degree to which carbon dioxide emissions are making oceans more acidic, harming the oceans' ecosystems and food web.



31% Less Impact on Ocean Warming

Ocean Warming: Accounts for the warming effect of greenhouse gases which are linked to killing coral reefs and changing the oceans' ecosystems.



51% Less Impact on Regional Acidification

Regional Acidification (Acid Rain): Tracks acid emissions that deposit in sensitive areas and affect our lakes, rivers, and wildlife

Life Cycle Impact declaration of Revolution Bags Loadmaster PCR LLDPE utility grade institutional can liners based on ISO 14044:2006 Environmental management - Life Cycle Assessment - requirements and guidelines. LCA study proves that production and use of one hundred thousand Loadmaster can liners made with 70% post-consumer recycled content results in lower environmental impacts when compared to can liners made without recycled content. Environmentally Preferable Products (EPP) and services have a lesser or reduced negative effect on human health and the environment when compared with competing products or services that serve the same purpose. This comparison applies to raw materials, manufacturing, packaging, distribution use, reuse, operation, maintenance, and disposal. Environmentally Preferable Products possess more than one environmental friendly attribute.

Revolution®

RevFit™

Optimal liner sizes for the most common capacity cans

MOST COMMON CAPACITY CANS		REVFIT CAN LINER SIZES	ECOMAX	LOADMASTER	HERCULES	DRAW PRO	COLORED BAGS
	Wastebasket Medium 7-10 Gallon	22 X 24 22 x 25	0.30 Mil - 0.45 Mil Black, Natural, Clear			0.75 Mil Natural	
	Wastebasket Large 12-16 Gallon	23 X 31	0.30 Mil - 0.45 Mil Black, Natural, Clear				
	Slim Jim® 23 Gallon	28.5 X 38 28 X 45 30 X 43	0.58 Mil - 0.70 Mil Black, Natural, Clear		0.90 Mil Black, Natural, Clear	0.90 Mil Natural	0.70 Mil Blue, Green
	32 Brute® 32 Gallon	32 X 41 33 X 38			0.90 Mil - 1.20 Mil Black, Clear	0.70 Mil Natural	
	44 Brute® 44 Gallon	36 X 47 36.5 X 42.5	0.45 Mil - 0.70 Mil Black, Natural, Clear	0.90 Mil - 1.15 Mil Black, Natural	0.90 Mil Black, Natural, Clear	0.90 Mi Natural	0.70 Mil Green
	55 Brute® 55 Gallon	40.5 X 42.5 41 X 52	0.70 Mil Black, Natural, Clear	0.90 Mil - 1.10 Mil Black, Natural		0.90 Mil Natural	
	Compactor 55 Gallon	45 X 50	2.00 Mil Natural				
	Glutton® 56 Gallon	43X47	0.59 Mil - 0.70 Mil Black, Natural, Clear	0.90 Mil - 1.15 Mil Black, Natural	0.90 Mil - 1.75 Mil Black, Natural, Clear		

Brute, Glutton and Slim Jim are registered trademarks of Rubbermaid



EcoMax

Utility Grade Can Liners

	ITEM #	PRODUCT CODE	DIMENSIONS (IN)	GA (MIL)	GA (MIC)	COLOR	CAPACITY (GAL)	BAGS/ROLL	ROLLS/CASE	BAGS/CASE	CASE/PALLET	NET CASE WT (LBS)	DRYLOAD RATING (LBS)	WETLOAD RATING (LBS)	POST-CONSUMER RECYCLED CONTENT (%)
RF	PC07LWBK	LW	22X25	0.30	7.6	BK	7-10	50	20	1000	72	11.0	36	24	30
RF	PC07LWN	LW	22X25	0.30	7.6	N	7-10	50	20	1000	72	11.0	36	24	20
RF	PC07LWCL	LW	22X25	0.30	7.6	CL	7-10	50	20	1000	72	11.0	36	24	20
RF	PC07XHBK	XH	22X25	0.45	11.4	BK	7-10	50	10	500	105	8.3	44	34	30
RF	PC07XHN	XH	22X25	0.45	11.4	N	7-10	50	10	500	105	8.3	44	34	20
RF	PC07XHCL	XH	22X25	0.45	11.4	CL	7-10	50	10	500	105	8.3	44	34	20
RF	PC10LWBK	LW	23x31	0.30	7.6	BK	12-16	50	20	1000	72	14.3	37	24	30
RF	PC10LWN	LW	23x31	0.30	7.6	N	12-16	50	20	1000	72	14.3	37	24	20
RF	PC10LWCL	LW	23x31	0.30	7.6	CL	12-16	50	20	1000	72	14.3	37	24	20
RF	PC10XHBK	XH	23x31	0.45	11.4	BK	12-16	50	10	500	105	10.7	45	33	30
RF	PC10XHN	XH	23x31	0.45	11.4	N	12-16	50	10	500	105	10.7	45	33	20
RF	PC10XHCL	XH	23x31	0.45	11.4	CL	12-16	50	10	500	105	10.7	45	33	20
	PC24LWBK	LW	24x24	0.30	7.6	BK	7-10	50	20	1000	72	11.5	36	24	30
	PC24LWN	LW	24x24	0.30	7.6	N	7-10	50	20	1000	72	11.5	36	24	20
	PC24LWCL	LW	24x24	0.30	7.6	CL	7-10	50	20	1000	72	11.5	36	24	20
	PC32LWBK	LW	24x32	0.30	7.6	BK	12-16	50	20	1000	72	15.4	36	28	30
	PC32LWN	LW	24x32	0.30	7.6	N	12-16	50	20	1000	72	15.4	36	28	20
	PC32LWCL	LW	24x32	0.30	7.6	CL	12-16	50	20	1000	72	15.4	36	28	20
RF	PCSJHRBK	HR	28x45	0.58	14.7	BK	Slim Jim®	25	10	250	105	12.2	55	36	70
RF	PCSJHRN	HR	28x45	0.58	14.7	N	Slim Jim®	25	10	250	105	12.2	55	36	20
RF	PCSJHRCL	HR	28x45	0.58	14.7	CL	Slim Jim®	25	10	250	105	12.2	55	36	20
RF	PCSJXHBK	XH	28x45	0.70	17.8	BK	Slim Jim®	25	10	250	72	14.7	64	52	70
RF	PCSJXHN	XH	28x45	0.70	17.8	N	Slim Jim®	25	10	250	72	14.7	64	52	20
RF	PCSJXHCL	XH	28x45	0.70	17.8	CL	Slim Jim®	25	10	250	72	14.7	64	52	20
	PC36LWBK	LW	30x36	0.30	7.6	BK	20-30	25	20	500	105	10.8	36	30	30
	PC36LWN	LW	30x36	0.30	7.6	N	20-30	25	20	500	105	10.8	36	30	20
	PC36LWCL	LW	30x36	0.30	7.6	CL	20-30	25	20	500	105	10.8	36	30	20
	PC36LRBK	LR	30x36	0.35	8.9	BK	20-30	25	10	250	105	6.3	36	30	30
	PC36LRN	LR	30x36	0.35	8.9	N	20-30	25	10	250	105	6.3	36	30	20
	PC36LRCL	LR	30x36	0.35	8.9	CL	20-30	25	10	250	105	6.3	36	30	20
	PC36MRBK	MR	30x36	0.45	11.4	BK	20-30	25	10	250	105	8.1	46	31	30
	PC36MRN	MR	30x36	0.45	11.4	N	20-30	25	10	250	105	8.1	46	31	20
	PC36MRCL	MR	30x36	0.45	11.4	CL	20-30	25	10	250	105	8.1	46	31	20
	PC36HRBK	HR	30x36	0.59	15.0	BK	20-30	25	10	250	105	10.6	55	41	70
	PC36HRN	HR	30x36	0.59	15.0	N	20-30	25	10	250	105	10.6	55	41	20
	PC36HRCL	HR	30x36	0.59	15.0	CL	20-30	25	10	250	105	10.6	55	41	20
	PC36XHBK	XH	30x36	0.70	17.8	BK	20-30	25	8	200	105	10.1	73	53	70
	PC36XHN	XH	30x36	0.70	17.8	N	20-30	25	8	200	105	10.1	73	53	20
	PC36XHCL	XH	30x36	0.70	17.8	CL	20-30	25	8	200	105	10.1	73	53	20
RF	PC43HRBK	HR	30x43	0.59	15.0	BK	Slim Jim® w/ handles	25	10	250	105	12.7	59	43	70
RF	PC43HRN	HR	30x43	0.59	15.0	N	Slim Jim® w/ handles	25	10	250	105	12.7	59	43	20
RF	PC43HRCL	HR	30x43	0.59	15.0	CL	Slim Jim® w/ handles	25	10	250	105	12.7	59	43	20

▪ LW Light waste ▪ LR Light refuse ▪ MR Medium refuse ▪ HR Heavy refuse ▪ XH Extra heavy refuse ▪ N Natural with contact clarity ▪ BK Black
 ▪ CL Clear **RF** RevFit Brute, Glutton and Slim Jim are registered trademarks of Rubbermaid

EcoMax

Utility Grade Can Liners

ITEM #	PRODUCT CODE	DIMENSIONS (IN)	GA (MIL)	GA (MIC)	COLOR	CAPACITY (GAL)	BAGS/ROLL	ROLLS/CASE	BAGS/CASE	CASE/PALLET	NET CASE WT (LBS)	DRYLOAD RATING (LBS)	WETLOAD RATING (LBS)	POST-CONSUMER RECYCLED CONTENT (%)
PC39MRBK	MR	33x39	0.45	11.4	BK	32-33	25	10	250	105	9.7	46	31	30
PC39MRN	MR	33x39	0.45	11.4	N	32-33	25	10	250	105	9.7	46	31	20
PC39MRCL	MR	33x39	0.45	11.4	CL	32-33	25	10	250	105	9.7	46	31	20
PC39HRBK	HR	33x39	0.59	15.0	BK	32-33	25	10	250	72	12.7	59	44	70
PC39HRN	HR	33x39	0.59	15.0	N	32-33	25	10	250	72	12.7	59	44	20
PC39HRCL	HR	33x39	0.59	15.0	CL	32-33	25	10	250	72	12.7	59	44	20
PC39XHBK	XH	33x39	0.70	17.8	BK	32-33	25	6	150	105	9.0	73	54	70
PC39XHN	XH	33x39	0.70	17.8	N	32-33	25	6	150	105	9.0	73	54	20
PC39XHCL	XH	33x39	0.70	17.8	CL	32-33	25	6	150	105	9.0	73	54	20
RF PC44MRBK	MR	36x47	0.45	11.4	BK	44 Brute®	25	10	250	105	12.7	46	34	30
RF PC44MRN	MR	36x47	0.45	11.4	N	44 Brute®	25	10	250	105	12.7	46	34	20
RF PC44MRCL	MR	36x47	0.45	11.4	CL	44 Brute®	25	10	250	105	12.7	46	34	20
RF PC44HRBK	HR	36x47	0.59	15.0	BK	44 Brute®	25	10	250	72	16.6	59	47	70
RF PC44HRN	HR	36x47	0.59	15.0	N	44 Brute®	25	10	250	72	16.6	59	45	20
RF PC44HRCL	HR	36x47	0.59	15.0	CL	44 Brute®	25	10	250	72	16.6	59	45	20
RF PC44XHBK	XH	36x47	0.70	17.8	BK	44 Brute®	25	8	200	105	15.8	73	55	70
RF PC44XHN	XH	36x47	0.70	17.8	N	44 Brute®	25	8	200	105	15.8	73	55	20
RF PC44XHCL	XH	36x47	0.70	17.8	CL	44 Brute®	25	8	200	105	15.8	73	55	20
PC46MRBK	MR	40x46	0.45	11.4	BK	40-45	25	10	250	72	13.8	55	37	30
PC46MRN	MR	40x46	0.45	11.4	N	40-45	25	10	250	72	13.8	55	37	20
PC46MRCL	MR	40x46	0.45	11.4	CL	40-45	25	10	250	72	13.8	55	37	20
PC46HRBK	HR	40x46	0.59	15.0	BK	40-45	25	10	250	72	18.1	64	52	70
PC46HRN	HR	40x46	0.59	15.0	N	40-45	25	10	250	72	18.1	64	52	20
PC46HRCL	HR	40x46	0.59	15.0	CL	40-45	25	10	250	72	18.1	64	52	20
PC46XHBK	XH	40x46	0.70	17.8	BK	40-45	25	4	100	105	8.6	72	56	70
PC46XHN	XH	40x46	0.70	17.8	N	40-45	25	4	100	105	8.6	72	56	20
PC46XHCL	XH	40x46	0.70	17.8	CL	40-45	25	4	100	105	8.6	72	56	20
RF PC47HRBK	HR	43x47	0.59	15.0	BK	Glutton®	25	8	200	72	15.9	71	57	70
RF PC47HRN	HR	43x47	0.59	15.0	N	Glutton®	25	8	200	72	15.9	71	57	20
RF PC47HRCL	HR	43x47	0.59	15.0	CL	Glutton®	25	8	200	72	15.9	71	57	20
RF PC47XHBK	XH	43x47	0.70	17.8	BK	Glutton®	25	4	100	105	9.4	78	58	70
RF PC47XHN	XH	43x47	0.70	17.8	N	Glutton®	25	4	100	105	9.4	78	58	20
RF PC47XHCL	XH	43x47	0.70	17.8	CL	Glutton®	25	4	100	105	9.4	78	58	20
RF PC55XHBK	XH	41x52	0.70	17.8	BK	55 Brute®	25	4	100	105	9.9	74	58	70
RF PC55XHN	XH	41x52	0.70	17.8	N	55 Brute®	25	4	100	105	9.9	74	55	20
RF PC55XHCL	XH	41x52	0.70	17.8	CL	55 Brute®	25	4	100	105	9.9	74	55	20
PC58HRBK	HR	38x58	0.59	15.0	BK	60	25	8	200	56	17.3	71	57	70
PC58HRN	HR	38x58	0.59	15.0	N	60	25	8	200	56	17.3	71	57	20
PC58HRCL	HR	38x58	0.59	15.0	CL	60	25	8	200	56	17.3	71	57	20
PC58XHBK	XH	38x58	0.70	17.8	BK	60	25	4	100	105	10.3	74	56	70
PC58XHN	XH	38x58	0.70	17.8	N	60	25	4	100	105	10.3	74	56	20
PC58XHCL	XH	38x58	0.70	17.8	CL	60	25	4	100	105	10.3	74	56	20
RF PCBBXHN	XH	45x50	2.00	50.8	N	Bigbelly	5	10	50	72	15.0	200	160	20

▪ LW Light waste ▪ LR Light refuse ▪ MR Medium refuse ▪ HR Heavy refuse ▪ XH Extra heavy refuse ▪ N Natural with contact clarity ▪ BK Black
 ▪ CL Clear RevFit *Brute, Glutton and Slim Jim are registered trademarks of Rubbermaid*

Loadmaster

High Performance Can Liners

ITEM #	PRODUCT CODE	DIMENSIONS (IN)	GA (MIL)	GA (MIC)	COLOR	CAPACITY (GAL)	BAGS/ROLL	ROLLS/CASE	BAGS/CASE	CASE/PALLET	NET CASE WT (LBS)	DRYLOAD RATING (LBS)	WETLOAD RATING (LBS)	POST-CONSUMER RECYCLED CONTENT (%)
PC24XPBK	XP	24X24	0.85	21.6	BK	7-10	25	20	500	72	16.3	74	52	70
PC32XPBK	XP	24X32	0.85	21.6	BK	12-16	25	20	500	56	21.8	79	66	70
PC36XPBK	XP	30X36	0.90	22.9	BK	20-30	25	8	200	105	13.0	73	63	70
PC39XPBK	XP	33X39	0.90	22.9	BK	32-33	25	6	150	105	11.6	78	64	70
PC39XPN	XP	33X39	0.85	21.6	N	32-33	25	6	150	105	10.9	78	64	20
PC39XTBK	XT	33X39	1.15	29.2	BK	32-33	25	6	150	105	14.8	99	76	70
RF PC44XPBK	XP	36x47	0.90	22.9	BK	44 Brute®	25	4	100	105	10.2	82	70	70
RF PC44XPN	XP	36x47	0.85	21.6	N	44 Brute®	25	4	100	105	9.6	82	70	20
RF PC44XTBK	XT	36x47	1.15	29.2	BK	44 Brute®	20	5	100	105	13.0	100	78	70
RF PC44XTN	XT	36x47	1.10	27.9	N	44 Brute®	20	5	100	105	12.4	100	78	20
PC46XPBK	XP	40x46	0.90	22.9	BK	40-45	25	4	100	105	11.0	86	67	70
PC46XPN	XP	40x46	0.85	21.6	N	40-45	25	4	100	105	10.4	86	67	20
PC46XTBK	XT	40x46	1.15	29.2	BK	40-45	20	5	100	72	14.1	98	79	70
PC46XTN	XT	40x46	1.10	27.9	N	40-45	20	5	100	72	13.5	98	79	20
RF PC47XPBK	XP	43x47	0.90	22.9	BK	Glutton®	25	4	100	105	12.1	94	70	70
RF PC47XPN	XP	43x47	0.85	21.6	N	Glutton®	25	4	100	105	11.5	94	70	20
RF PC47XTBK	XT	43x47	1.15	29.2	BK	Glutton®	20	5	100	72	15.5	100	80	70
RF PC47XTN	XT	43x47	1.10	27.9	N	Glutton®	20	5	100	72	14.8	100	80	20
RF PC55XPBK	XP	41x52	0.90	22.9	BK	55 Brute®	25	4	100	105	12.8	95	71	70
RF PC55XTBK	XT	41x52	1.15	29.2	BK	55 Brute®	20	5	100	72	16.3	100	80	70
RF PC55XTN	XT	41x52	1.10	27.9	N	55 Brute®	20	5	100	72	15.6	100	79	20
PC58XPBK	XP	38x58	0.90	22.9	BK	60	25	4	100	110	13.2	94	70	70
PC58XPN	XP	38x58	0.85	21.6	N	60	25	4	100	110	12.5	94	70	20
PC58XTBK	XT	38x58	1.15	29.2	BK	60	25	4	100	72	16.9	99	78	70
PC58XTN	XT	38x58	1.10	27.9	N	60	25	4	100	72	16.2	99	78	20

RF RevFit

- XP Extra Heavy +
- XT Extra Tough
- N Natural with contact clarity
- BK Black

Brute, Glutton and Slim Jim are registered trademarks of Rubbermaid



Hercules

Heavy Recycled Content Can Liners

	ITEM #	DIMENSIONS (IN)	GA (MIL)	GA (MIC)	COLOR	CAPACITY (GAL)	BAGS/ROLL	ROLLS/CASE	BAGS/CASE	CASE/PALLET	NET CASE WT (LBS)	DRYLOAD RATING (LBS)	WETLOAD RATING (LBS)	POST-CONSUMER RECYCLED CONTENT (%)
RF	PCSJ100BK	28X45	0.90	22.9	BK	SlimJim®	25	8	200	72	15.1	94	66	94
RF	PCSJ100N	28X45	0.90	22.9	N	SlimJim®	25	8	200	72	15.1	94	66	97
RF	PCSJ100CL	28X45	0.90	22.9	CL	SlimJim®	25	8	200	72	15.1	94	66	20
	PC36100BK	30X36	0.90	22.9	BK	20-30	20	10	200	105	13.0	95	81	94
	PC36100N	30X36	0.90	22.9	N	20-30	20	10	200	105	13.0	95	81	97
	PC36100CL	30X36	0.90	22.9	CL	20-30	20	10	200	105	13.0	95	81	20
	PC36150BK	30X36	1.35	34.3	BK	20-30	20	10	200	56	19.4	109	81	94
	PC36150CL	30X36	1.35	34.3	CL	20-30	20	10	200	56	19.4	109	81	20
RF	PC43100BK	30X43	0.90	22.9	BK	Slim Jim® w/ handles	20	10	200	72	15.5	95	81	94
RF	PC43100N	30X43	0.90	22.9	N	Slim Jim® w/ handles	20	10	200	72	15.5	95	81	97
RF	PC43100CL	30X43	0.90	22.9	CL	Slim Jim® w/ handles	20	10	200	72	15.5	95	81	20
RF	PC41100BK	32X41	0.90	22.9	BK	32 Brute®	25	6	150	105	11.8	99	63	94
RF	PC41100CL	32X41	0.90	22.9	CL	32 Brute®	25	6	150	105	11.8	99	63	20
RF	PC41135BK	32X41	1.20	30.5	BK	32 Brute®	25	6	150	85	15.7	108	87	94
RF	PC41135CL	32X41	1.20	30.5	CL	32 Brute®	25	6	150	85	15.7	108	87	20
	PC39100BK	33x39	0.90	22.9	BK	32-33	25	6	150	105	11.6	95	83	94
	PC39100N	33x39	0.90	22.9	N	32-33	25	6	150	105	11.6	95	83	97
	PC39100CL	33x39	0.90	22.9	CL	32-33	25	6	150	105	11.6	95	83	20
	PC39150BK	33x39	1.35	34.3	BK	32-33	25	6	150	56	17.4	109	81	94
	PC39150CL	33x39	1.35	34.3	CL	32-33	25	6	150	56	17.4	109	81	20
	PC39200BK	33x39	1.75	44.5	BK	32-33	25	6	150	42	22.5	118	86	94
	PC39200CL	33x39	1.75	44.5	CL	32-33	25	6	150	42	22.5	118	86	20
RF	PC44100BK	36x47	0.90	22.9	BK	44 Brute®	20	5	100	105	10.2	104	81	94
RF	PC44100N	36x47	0.90	22.9	N	44 Brute®	20	5	100	105	10.2	104	81	97
RF	PC44100CL	36x47	0.90	22.9	CL	44 Brute®	20	5	100	105	10.2	104	81	20
	PC46100BK	40x46	0.90	22.9	BK	40-45	20	5	100	105	11.0	109	85	94
	PC46100N	40x46	0.90	22.9	N	40-45	20	5	100	105	11.0	109	85	97
	PC46100CL	40x46	0.90	22.9	CL	40-45	20	5	100	105	11.0	109	85	20
	PC46150BK	40x46	1.35	34.3	BK	40-45	25	4	100	72	16.6	118	83	94
	PC46150N	40x46	1.35	34.3	N	40-45	25	4	100	72	16.6	118	83	97
	PC46150CL	40x46	1.35	34.3	CL	40-45	25	4	100	72	16.6	118	83	20
	PC46200BK	40x46	1.75	44.5	BK	40-45	25	4	100	56	21.5	130	90	94
	PC46200CL	40x46	1.75	44.5	CL	40-45	25	4	100	56	21.5	130	90	20

RF RevFit



- N Natural with contact clarity
- BK Black
- CL Clear

Brute, Glutton and Slim Jim are registered trademarks of Rubbermaid

Hercules

Heavy Recycled Content Can Liners

	ITEM #	DIMENSIONS (IN)	GA (MIL)	GA (MIC)	COLOR	CAPACITY (GAL)	BAGS/ROLL	ROLLS/CASE	BAGS/CASE	CASE/PALLET	NET CASE WT (LBS)	DRYLOAD RATING (LBS)	WETLOAD RATING (LBS)	POST-CONSUMER RECYCLED CONTENT (%)
RF	PC47100BK	43x47	0.90	22.9	BK	Glutton®	20	5	100	72	12.1	109	85	94
RF	PC47100N	43x47	0.90	22.9	N	Glutton®	20	5	100	72	12.1	109	85	97
RF	PC47100CL	43x47	0.90	22.9	CL	Glutton®	20	5	100	72	12.1	109	85	20
RF	PC47150BK	43x47	1.35	34.3	BK	Glutton®	20	5	100	56	18.2	118	93	94
RF	PC47150N	43x47	1.35	34.3	N	Glutton®	20	5	100	56	18.2	118	93	97
RF	PC47150CL	43x47	1.35	34.3	CL	Glutton®	20	5	100	56	18.2	118	93	20
RF	PC47168BK	43x47	1.50	38.1	BK	Glutton®	25	4	100	56	20.2	119	87	94
RF	PC47168CL	43x47	1.50	38.1	CL	Glutton®	25	4	100	56	20.2	119	87	20
RF	PC47200BK	43x47	1.75	44.5	BK	Glutton®	25	4	100	56	23.6	131	93	94
RF	PC47200CL	43x47	1.75	44.5	CL	Glutton®	25	4	100	56	23.6	131	93	20
	PC58100BK	38x58	0.90	22.9	BK	60	25	4	100	110	13.2	109	87	94
	PC58100N	38x58	0.90	22.9	N	60	25	4	100	110	13.2	109	87	97
	PC58100CL	38x58	0.90	22.9	CL	60	25	4	100	110	13.2	109	87	20
	PC58150BK	38x58	1.35	34.3	BK	60	20	5	100	56	19.8	118	84	94
	PC58150N	38x58	1.35	34.3	N	60	20	5	100	56	19.8	118	84	97
	PC58150CL	38x58	1.35	34.3	CL	60	20	5	100	56	19.8	118	84	20
	PC58168BK	38x58	1.50	38.1	BK	60	25	4	100	56	22.0	119	89	94
	PC58168CL	38x58	1.50	38.1	CL	60	25	4	100	56	22.0	119	89	20
	PC58200BK	38x58	1.75	44.5	BK	60	10	10	100	42	25.7	131	93	94
	PC58200N	38x58	1.75	44.5	N	60	10	10	100	42	25.7	131	93	97
	PC58200CL	38x58	1.75	44.5	CL	60	10	10	100	42	25.7	131	93	20

RF RevFit

- N Natural with contact clarity
- BK Black
- CL Clear

Brute, Glutton and Slim Jim are registered trademarks of Rubbermaid



Draw Pro™



Draw Tape Can Liners

	ITEM #	PRODUCT CODE	DIMENSIONS (IN)	GA (MIL)	GA (MIC)	COLOR	DRAW TAPE COLOR	CAPACITY (GAL)	BAGS/ROLL	ROLLS/CASE	BAGS/CASE	CASE/PALLET	NET CASE WT (LBS)	DRYLOAD RATING (LBS)	WETLOAD RATING (LBS)	POST-CONSUMER RECYCLED CONTENT (%)
RF	DTg2224HDNA	DT	22X24	0.75	19.1	N	GN	7-10	50	6	300	105	8.94	48	35	20
RF	DTg28538XHDNA	DT	28.5X38	0.90	22.9	N	GN	23	25	6	150	105	10.33	59	50	20
RF	DTg3338HDNA	DT	33X38	0.70	17.8	N	GN	32	25	6	150	105	9.33	46	39	20
RF	DTg365425XHDNA	DT	36.5X42.5	0.90	22.9	N	GN	44	25	4	100	105	9.74	68	65	20
RF	DTg405425XHDNA	DT	40.5X42.5	0.90	22.9	N	GN	55	25	4	100	105	10.79	92	77	20

Colored Bags

Environmentally Preferred Specialty can liners



	ITEM #	PRODUCT CODE	DIMENSIONS (IN)	GA (MIL)	GA (MIC)	COLOR	CAPACITY (GAL)	BAGS/ROLL	ROLLS/CASE	BAGS/CASE	CASE/PALLET	NET CASE WT (LBS)	DRYLOAD RATING (LBS)	WETLOAD RATING (LBS)	POST-CONSUMER RECYCLED CONTENT (%)
	PC10XHBU	XH	23X31	0.45	11.4	BU	12-16	50	10	500	105	10.7	45	34	20
	PC32XHW	XH	24X32	0.75	19.1	W	12-16	25	10	250	105	9.60	64	53	20
RF	PCSJXHBU	XH	28X45	0.70	17.8	BU	Slim Jim®	25	10	250	72	14.7	64	53	20
RF	PCSJXHGN	XH	28X45	0.70	17.8	GN	Slim Jim®	25	10	250	72	14.7	64	53	20
	PC39XHW	XH	33X39	0.70	17.8	W	32-33	25	6	150	105	9.01	73	54	20
RF	PC44XHGN	XH	36X47	0.70	17.8	GN	44 Brute®	25	8	200	105	15.8	73	55	20
	PC46XHBU	XH	40X46	0.70	17.8	BU	40-45	25	4	100	105	8.6	73	55	20

Other sizes, gauges and colors are available upon request.

RF RevFit

- XH Extra heavy refuse
- SH Super Heavy
- BU Blue
- GN Green
- N Natural
- W White

Brute, Glutton and Slim Jim are registered trademarks of Rubbermaid





redefine possible

At Revolution™, we're redefining what's possible with a unique approach to sustainability that embraces the entire plastics life cycle.

In addition to making high quality plastics for commercial applications, we also collect and recycle plastic film materials to create a continuous circle of sustainability. This holistic approach to production delivers effective, scalable solutions that meet your needs today, while helping you adopt more sustainable practices for the future.

844.490.4829

cs-revbag@revolutioncompany.com

revolutionbag.com | revolutioncompany.com